

## FOUR APPROACHES TO IMPLEMENTING LEAD HAZARD EVALUATION AND REDUCTION

APPROACH 1. DO NO HARM		
<p><b>Lead Hazard Evaluation</b></p> <ul style="list-style-type: none"> <li>◆ Paint testing performed on surfaces to be disturbed.</li> </ul>	<p><b>Lead Hazard Reduction</b></p> <ul style="list-style-type: none"> <li>◆ Repair surfaces disturbed during work.</li> <li>◆ Safe work practices used when working on areas identified as lead-based paint.</li> <li>◆ Clearance performed.</li> </ul>	<p><b>Options</b></p> <ul style="list-style-type: none"> <li>◆ Presume lead-based paint is present and use safe work practices on all surfaces being disturbed.</li> </ul>
APPROACH 2. IDENTIFY AND STABILIZE DETERIORATED PAINT		
<p><b>Lead Hazard Evaluation</b></p> <ul style="list-style-type: none"> <li>◆ Visual assessment performed to identify deteriorated paint.</li> </ul>	<p><b>Lead Hazard Reduction</b></p> <ul style="list-style-type: none"> <li>◆ Paint stabilization of identified deteriorated paint.</li> <li>◆ Safe work practices used.</li> <li>◆ Clearance performed.</li> </ul>	<p><b>Options</b></p> <ul style="list-style-type: none"> <li>◆ Perform paint testing on deteriorated paint. Safe work practice requirements only apply to lead-based paint.</li> </ul>
APPROACH 3. IDENTIFY AND CONTROL LEAD HAZARDS		
<p><b>Lead Hazard Evaluation</b></p> <ul style="list-style-type: none"> <li>◆ Paint testing performed on surfaces to be disturbed.</li> <li>◆ Risk assessment performed on entire dwelling.</li> </ul>	<p><b>Lead Hazard Reduction</b></p> <ul style="list-style-type: none"> <li>◆ Interim controls performed on identified hazards.</li> <li>◆ Safe work practices used.</li> <li>◆ Clearance performed.</li> </ul>	<p><b>Options</b></p> <ul style="list-style-type: none"> <li>◆ Presume lead based paint and/or lead based paint hazards are present and perform standard treatments.</li> </ul>
APPROACH 4. IDENTIFY AND ABATE LEAD HAZARDS		
<p><b>Lead Hazard Evaluation</b></p> <ul style="list-style-type: none"> <li>◆ Paint testing performed on surfaces to be disturbed.</li> <li>◆ Risk assessment performed on entire dwelling.</li> </ul>	<p><b>Lead Hazard Reduction</b></p> <ul style="list-style-type: none"> <li>◆ Abatement performed on identified hazards.</li> <li>◆ Interim controls performed on identified hazards on the exterior that are not disturbed by rehabilitation.</li> <li>◆ Safe work practices used.</li> <li>◆ Clearance performed.</li> </ul>	<p><b>Options</b></p> <ul style="list-style-type: none"> <li>◆ Presume lead-based paint and/or lead-based paint hazards are present and perform abatement on all applicable surfaces – deteriorated, impact, friction, chewable surfaces, and surfaces to be disturbed.</li> </ul>