

## 2025 CDBG WATER-RELATED INFRASTRUCTURE (WRI) ROUND SCORE SHEET

UGLG Name	Scorer Name
Project Name	Date

**APPLICATION MUST BE COMPLETE.** An application is considered complete if:

	Yes	No		Notes
1	<input type="checkbox"/>	<input type="checkbox"/>	All questions have been answered	
2	<input type="checkbox"/>	<input type="checkbox"/>	All applicable attachments have been included	
3	<input type="checkbox"/>	<input type="checkbox"/>	The application has been signed	

### ELIGIBILITY CRITERIA (Section 5 of the Application)

	Yes	No		Notes
1	<input type="checkbox"/>	<input type="checkbox"/>	The UGLG is a community where 51% of the individuals reside in low to moderate income households	
2	<input type="checkbox"/>	<input type="checkbox"/>	The UGLG does not have an open CDBG Grant or MSF CDBG Award	
3	<input type="checkbox"/>	<input type="checkbox"/>	The project will be completed by December 31, 2027	
4	<input type="checkbox"/>	<input type="checkbox"/>	The grant request for traditional infrastructure is between \$500,000 and \$2,500,000	
5	<input type="checkbox"/>	<input type="checkbox"/>	The UGLG has clearly demonstrated that the proposed project benefits the entire Low- and Moderate-Income Community	
6	<input type="checkbox"/>	<input type="checkbox"/>	The UGLG must own or can acquire easement to the property encompassing the project	
7	<input type="checkbox"/>	<input type="checkbox"/>	The UGLG has a maintenance plan for the proposed project	
8	<input type="checkbox"/>	<input type="checkbox"/>	The UGLG has a set of preliminary project plans and specifications	

### PRIORITIES/SCORING (Section 6 of Application)

	POINTS AVAILABLE		COMMENTS	SCORE
1	Up to 35	Community is a Low to Moderate income 51-55% = 5 points 56-60% = 10 points 61-65% = 20 points 66-70% = 30 points 71% and above = 35 points		
2	Up to 15	The community has leveraged local matching funds  11-24% = 10 points 25% and above = 15 points		

3		Item 3 consists of 3a through 3d and has the potential to score up to 50 points total depending upon the project specifics and applicability.		
3a	Up to 50	<b>Imminent threat/System failures</b> <ul style="list-style-type: none"> <li>▪ Immediate health concerns</li> <li>▪ Had experienced break, leaks, repairs</li> <li>▪ Leaks resulting in bacteria, raw sewage, waste sewage</li> <li>▪ Project was to address the above circumstances</li> </ul>		
3b	Up to 35	<b>Critical Improvements needed as soon as possible</b> <ul style="list-style-type: none"> <li>▪ Not an immediate health concern</li> <li>▪ Had experienced breaks, leaks but infrastructure had been secured. Used repairs as possible occurrence on existing infrastructure. Project was to address possible infrastructure repairs.</li> </ul>		
3c	Up to 15	<b>Infrastructure improvements needed in short term</b> <ul style="list-style-type: none"> <li>▪ Not an immediate health concern</li> <li>▪ Did not speak to breaks, leaks or repairs and impact on community</li> </ul>		
3d	Up to 5	<b>Infrastructure improvements needed in next few years</b> <ul style="list-style-type: none"> <li>▪ Not an immediate health and/or safety concern</li> <li>▪ Project is proactive in nature and addresses anticipated problems that may occur in the future</li> </ul>		
<b>TOTAL SCORE</b>				

**Additional Comments**